

# Airpocket EF Plus



Leadership in Filtration

**MANN+**  
**HUMMEL**

# Airpocket EF Plus

## Long-life bag filter



Bag/pocket filter




Mid-range product



Made for HVAC

ePM1

Filter class to ISO 16890



### KEY FACTS

- Market-leading energy performance
- State-of-the-art filter media to achieve higher filtration efficiency
- Optimized number of pockets and raw material usage
- Maximum reliability
- Multi-layer structure with built-in prefilter for maximum life

### DESIGN

Pocket filters built with a metal or plastic frame. A synthetic, wave-structured media is tailor sewn with conical spacer seams to create optimal V-shaped pockets.

### APPLICATIONS

Prefiltration or main filtration for air conditioning and ventilation systems.

## Technical Data


Efficiency Class ISO 16890	Dimensions mm	Pockets no.	Flow Rate m <sup>3</sup> /h	Pressure Drop Pa	Energy kWh/year	Energy Class Eurovent 2019
ePM1 60%	592 x 592 x 360	10	3400	80	1379	C
ePM1 60%	592 x 592 x 535	10	3400	70	951	B
ePM1 60%	592 x 592 x 635	10	3400	55	714	A+
ePM1 70%	592 x 592 x 500	10	3400	65	907	A+
ePM1 70%	592 x 592 x 635	10	3400	55	742	A+

### Specification

Recommended air flow	Flow rate ± 15 %
Heat resistance	Max. 70 °C
Regenerable	No
Rec. final pressure for efficient energy use acc. to EN 13053	Lowest value of initial pressure drop + 100 Pa, or initial pressure drop x 3
Moisture resistance	100 % rel. humidity
Incinerable	Yes (excluding metal frame versions)

### Options

Frame	Plastic or galvanized steel
Gasket	EPDM flat gasket
Header depth	25 mm



We reserve the right to update, change or supplement the information provided in this document without prior notice.

1125 © MANN+HUMMEL

[airfiltration.mann-hummel.com](http://airfiltration.mann-hummel.com)

**MANN+**  
**HUMMEL**